

```
BBBBBBBBBBBBBB      AAAAAAAAAA      SSSSSSSSSSSSSS      RRRRRRRRRRRR      TTTTTTTTTTTTTTTT      LLL
BBBBBBBBBBBBBB      AAAAAAAAAA      SSSSSSSSSSSSSS      RRRRRRRRRRRR      TTTTTTTTTTTTTTTT      LLL
BBBBBBBBBBBBBB      AAAAAAAAAA      SSSSSSSSSSSSSS      RRRRRRRRRRRR      TTTTTTTTTTTTTTTT      LLL
BBB      BBB      AAA      AAA      SSS      SSS      RRR      RRR      TTT      TTT      LLL
BBB      BBB      AAA      AAA      SSS      SSS      RRR      RRR      TTT      TTT      LLL
BBB      BBB      AAA      AAA      SSS      SSS      RRR      RRR      TTT      TTT      LLL
BBB      BBB      AAA      AAA      SSS      SSS      RRR      RRR      TTT      TTT      LLL
BBB      BBB      AAA      AAA      SSS      SSS      RRR      RRR      TTT      TTT      LLL
BBB      BBB      AAA      AAA      SSS      SSS      RRR      RRR      TTT      TTT      LLL
BBBBBBBBBBBBBB      AAA      AAA      SSS      SSS      RRR      RRR      TTT      TTT      LLL
BBBBBBBBBBBBBB      AAA      AAA      SSS      SSS      RRR      RRR      TTT      TTT      LLL
BBBBBBBBBBBBBB      AAA      AAA      SSS      SSS      RRR      RRR      TTT      TTT      LLL
BBB      BBB      AAAAAAAAAAAAAAAAAA      SSS      SSS      RRR      RRR      TTT      TTT      LLL
BBB      BBB      AAAAAAAAAAAAAAAAAA      SSS      SSS      RRR      RRR      TTT      TTT      LLL
BBB      BBB      AAAAAAAAAAAAAAAAAA      SSS      SSS      RRR      RRR      TTT      TTT      LLL
BBB      BBB      AAA      AAA      SSS      SSS      RRR      RRR      TTT      TTT      LLL
BBB      BBB      AAA      AAA      SSS      SSS      RRR      RRR      TTT      TTT      LLL
BBB      BBB      AAA      AAA      SSS      SSS      RRR      RRR      TTT      TTT      LLL
BBBBBBBBBBBBBB      AAA      AAA      SSSSSSSSSSSSSS      RRR      RRR      TTT      TTT      LLL
BBBBBBBBBBBBBB      AAA      AAA      SSSSSSSSSSSSSS      RRR      RRR      TTT      TTT      LLL
BBBBBBBBBBBBBB      AAA      AAA      SSSSSSSSSSSSSS      RRR      RRR      TTT      TTT      LLL
LLLLLLLLLLLLLLLLLLLL
```

```
BBBBBBBBB      AAAAAA      SSSSSSSSS  PPPPPPPP  000000  WW      WW  DDDDDDDD      JJ
BBBBBBBBB      AAAAAA      SSSSSSSSS  PPPPPPPP  000000  WW      WW  DDDDDDDD      JJ
BB      BB  AA      AA  SS      SS      PP      PP  00      00  WW      WW  DD      DD      JJ
BB      BB  AA      AA  SS      SS      PP      PP  00      00  WW      WW  DD      DD      JJ
BB      BB  AA      AA  SS      SS      PP      PP  00      00  WW      WW  DD      DD      JJ
BBBBBBBBB      AA      AA  SSSSSSS  PPPPPPPP  00      00  WW      WW  DD      DD      JJ
BBBBBBBBB      AA      AA  SSSSSSS  PPPPPPPP  00      00  WW      WW  DD      DD      JJ
BB      BB  AAAAAAAAAA      SS      PP      PP  00      00  WW      WW  DD      DD      JJ
BB      BB  AAAAAAAAAA      SS      PP      PP  00      00  WW      WW  DD      DD      JJ
BB      BB  AA      AA  SS      SS      PP      PP  00      00  WWW      WWW  DD      DD      JJ
BB      BB  AA      AA  SS      SS      PP      PP  00      00  WWW      WWW  DD      DD      JJ
BBBBBBBBB      AA      AA  SSSSSSS  PP      PP      000000  WW      WW  DDDDDDDD  JJJJJJ
BBBBBBBBB      AA      AA  SSSSSSS  PP      PP      000000  WW      WW  DDDDDDDD  JJJJJJ
                                                                ....
                                                                ....
                                                                ....
                                                                ....
```

```
LL      IIIIII      SSSSSSSS
LL      IIIIII      SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LLLLLLLLLL      IIIIII      SSSSSSSS
LLLLLLLLLL      IIIIII      SSSSSSSS
```

(2) 52
(3) 87

DECLARATIONS
BASSPOWDJ - BASIC double ** long

```
0000 1      .TITLE BASSPOWDJ      ; BASIC double ** longword routine
0000 2      .IDENT /1-005/      ; File: BASSPOWDJ.MAR Edit:RNH1005
0000 3
0000 4
0000 5 *****
0000 6 *
0000 7 *  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0000 8 *  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0000 9 *  ALL RIGHTS RESERVED.
0000 10 *
0000 11 *  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0000 12 *  ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0000 13 *  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0000 14 *  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0000 15 *  OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0000 16 *  TRANSFERRED.
0000 17 *
0000 18 *  THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0000 19 *  AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0000 20 *  CORPORATION.
0000 21 *
0000 22 *  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0000 23 *  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0000 24 *
0000 25 *
0000 26 *****
0000 27
0000 28
0000 29 ++
0000 30 : FACILITY: Basic Support Library
0000 31
0000 32 : ABSTRACT:
0000 33
0000 34 :     This module contains entry points to support exponentiation
0000 35 :     (** or ^) in BASIC-PLUS-2 for DOUBLE ** LONGWORD.
0000 36
0000 37 : ENVIRONMENT: User Mode, AST Reentrant
0000 38
0000 39 --
0000 40 : AUTHOR: R. Will      , CREATION DATE: 22-NOV-78
0000 41
0000 42 : MODIFIED BY:
0000 43
0000 44 : R. Will,      : VERSION 01
0000 45 : 1-01 - Original
0000 46 : 1-02 - Redo comments, JMP instead of BRW.      RW 5-Dec-78
0000 47 : 1-003 - Add "" to the PSECT directive.      JBS 22-DEC-78
0000 48 : 1-004 - Redo the case analysis for base leq 0 for compatability
0000 49 :           with the PDP-11.      JBS 24-APR-1979
0000 50 : 1-005 - Change shared external references to G^ RNH 25-Sep-81
```



```

; BASIC double ** longword routine
DECLARATIONS

```

Page 2
(2)

```
0000 87 .SBTTL BASS$POWDJ - BASIC double ** long
0000 88 :++
0000 89 : FUNCTIONAL DESCRIPTION:
0000 90 :
0000 91 : This routine takes BASE ** EXP, using the following table
0000 92 : for unusual cases:
0000 93 :
0000 94 : BASE > 0 Call OTSS$POWDJ, normal case.
0000 95 : BASE = 0, EXP > 0 Return 0.0.
0000 96 : BASE = 0, EXP = 0 Return 1.0.
0000 97 : BASE = 0, EXP < 0 Error: divide by zero
0000 98 : BASE < 0, EXP even Call OTSS$POWDJ with -BASE
0000 99 : BASE < 0, EXP odd Call OTSS$POWDJ with -BASE, negate result
0000 100 :
0000 101 : CALLING SEQUENCE:
0000 102 :
0000 103 : CALL result.wd.v = BASS$POWDJ (base.rd.v, exponent.rl.v)
0000 104 :
0000 105 : INPUT PARAMETERS:
0000 106 :
00000004 0000 107 : base = 4
0000000C 0000 108 : exponent = 12
0000 109 :
0000 110 : IMPLICIT INPUTS:
0000 111 :
0000 112 : NONE
0000 113 :
0000 114 : OUTPUT PARAMETERS:
0000 115 :
0000 116 : NONE
0000 117 :
0000 118 : IMPLICIT OUTPUTS:
0000 119 :
0000 120 : NONE
0000 121 :
0000 122 : FUNCTION VALUE:
0000 123 : COMPLETION CODES:
0000 124 :
0000 125 : double result of exponentiation
0000 126 :
0000 127 : SIDE EFFECTS:
0000 128 :
0000 129 : Will signal Divide By Zero if its arguments are bad,
0000 130 : and OTSS$POWDJ may also signal.
0000 131 :
0000 132 :--
0000 133 :
0000 134 BASS$POWDJ:: .MASK OTSS$POWDJ : Entry point
0002 135 : Since this routine uses no
0002 136 : registers and usually transfers
0002 137 : control to OTSS$POWDJ, we copy
0002 138 : its register save mask and then
0002 139 : JMP past its save mask and only
0002 140 : save the registers once
0002 141 : Test base relationship to zero
0005 142 : If base leq 0, do case analysis
0007 143 : Transfer control to the OTSS$

04 AC 73 0002 141 TSTD base(AP)
06 15 0005 142 BLEQ 1$
00000002'GF 17 0007 143 JMP G*OTSS$POWDJ+2
```

```
000D 144 ; routine to do exponentiation
000D 145 ;+
000D 146 ; Come here if the base is less than or equal to zero. We must filter
000D 147 ; several special cases, as described above.
000D 148 ;
000D 149 1$: BEQL 4$ ; Branch if base = 0
000F 150 PUSHL exponent(AP) ; Stack EXP as parameter to OTS$POWDJ
0012 151 MNEGD base(AP), -(SP) ; Stack -base also
0016 152 CALLS #3, G^OTS$POWDJ ; Call integer power routines
001D 153 BLBC exponent(AP), 2$ ; Branch if exponent even
0021 154 MNEGD R0, R0 ; Exponent odd, negate the result
0024 155 2$: RET ; and return with it.
0025 156 ;+
0025 157 ; Come here if the base is equal to zero. The value we return depends
0025 158 ; upon the sign of the exponent.
0025 159 ;
0025 160 4$: TSTL exponent(AP) ; Test the exponent against zero
0028 161 BLSS 6$ ; Branch if exponent lss 0
002A 162 BEQL 5$ ; Branch if exponent is 0
002C 163 ;+
002C 164 ; Come here if the base is zero and the exponent is greater than zero.
002C 165 ; BASIC defines this as 0.0.
002C 166 ;
002C 167 7C CLRD R0 ; R0, R1 = 0.0
002E 168 RET ; Return to caller
002F 169 ;+
002F 170 ; Come here if the base is zero and the exponent is zero. BASIC defines
002F 171 ; this as 1.0.
002F 172 ;
002F 173 5$: MOVD #1, R0 ; R0, R1 = 1.0
0032 174 RET ; Return to caller.
0033 175 ;+
0033 176 ; Come here if the base is zero and the exponent is less than zero.
0033 177 ; BASIC defines this as an error.
0033 178 ;
0033 179 6$: MOVZBL #BAS$K_DIVBY_ZER, -(SP) ; Divide by zero
0037 180 CALLS #1, G^BAS$$STOP ; Report error, never return.
003E 181 ;
003E 182 .END
```


BAS\$\$STOP

X

00

BAS\$K_DIVBY_ZER

X

00

BAS\$POWDJ

00000000

RG

01

BASE

=

00000004

EXPONENT

=

0000000C

OT\$POWDJ

X

00

! Psect synopsis !

PSECT name	Allocation	PSECT No.	Attributes															
ABS	00000000 (0.)	00 (0.)	NOPIC	USR	CON	ABS	LCL	NOSHR	NOEXE	NORD	NOWRT	NOVEC	BYTE					
_BAS\$CODE	0000003E (62.)	01 (1.)	PIC	USR	CON	REL	LCL	SHR	EXE	RD	NOWRT	NOVEC	LONG					

! Performance indicators !

Phase	Page faults	CPU Time	Elapsed Time
Initialization	29	00:00:00.07	00:00:00.43
Command processing	114	00:00:00.48	00:00:01.66
Pass 1	73	00:00:00.45	00:00:01.25
Symbol table sort	0	00:00:00.00	00:00:00.00
Pass 2	45	00:00:00.36	00:00:01.32
Symbol table output	2	00:00:00.01	00:00:00.01
Psect synopsis output	2	00:00:00.02	00:00:00.02
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	267	00:00:01.39	00:00:04.90

The working set limit was 900 pages.
 1934 bytes (4 pages) of virtual memory were used to buffer the intermediate code.
 There were 10 pages of symbol table space allocated to hold 6 non-local and 5 local symbols.
 182 source lines were read in Pass 1, producing 8 object records in Pass 2.
 0 pages of virtual memory were used to define 0 macros.

! Macro library statistics !

Macro library name	Macros defined
_ \$255\$DUA28:[SYSLIB]STARLET.MLB;2	0

0 GETS were required to define 0 macros.

There were no errors, warnings or information messages.

MACRO/ENABLE=SUPPRESSION/DISABLE=(GLOBAL,TRACEBACK)/LIS=LIS\$:BASPOWDJ/OBJ=OBJ\$:BASPOWDJ MSRC\$:BASPOWDJ/UPDATE=(ENH\$:BASPOWDJ)

0029 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

BASOPEN
LIS

BASPOWJ
LIS

BASPOS
LIS

BASPOWJ
LIS

BASOPENDE
LIS

BASPOWGG
LIS

BASPOWH
LIS

BASPOWJ
LIS

BASPOWJ
LIS

BASPURTOB
LIS

BASPOWDO
LIS

BASOPENZE
LIS

BASPOWR
LIS

BASPOWG
LIS

BASPOWR
LIS

BASPOWH
LIS

BASPOWR
LIS